

Epson EB-2250U data projector Standard throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) Black, White



Brand : Epson

Product code: V11H871053

Product name : EB-2250U

3LCD, 3800-5000 lum, 1920 x 1200, 16:10, USB 2.0 A, 377 x 291 x 110 mm, 4800 g, USB 2.0 B, RS-232C, 2x RJ-45, 3x VGA, 2x HDMI, DisplayPort

Epson EB-2250U. Projector brightness: 5000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 23 - 38.4 mm, Aperture range (F-F): 1.5 - 2. Video colour modes: Blackboard, Cinema, Dynamic, Presentation. Serial interface type: RS-232

Projector		Network	
Supported aspect ratios	16:10	Ethernet LAN *	✓
Screen size compatibility *	1270 - 7620 mm (50 - 300")	Ethernet LAN (RJ-45) ports	2
Projection distance	1.5 - 9 m	Ethernet LAN data rates	10,100,1000 Mbit/s
Contrast ratio (dynamic)	15000:1	Wi-Fi *	✗
Projector brightness *	5000 ANSI lumens	Storage	
Projection technology *	3LCD	Card reader integrated *	✗
Projector native resolution *	1080p (1920x1080)	Features	
Contrast ratio (typical) *	15000:1	Noise level (economic mode)	29 dB
Native aspect ratio *	16:10	Noise level *	39 dB
Number of colours	1.073 billion colours	Password protection	✓
Projector brightness (economic mode)	3800 ANSI lumens	Multimedia	
Keystone correction, horizontal	± 30°	Built-in speaker(s) *	✓
Keystone correction, vertical	± 30°	RMS rated power	16 W
Matrix size	1.93 cm (0.76")	Design	
Light source		Product type *	Standard throw projector
Light source type *	Lamp	Product colour *	Black, White
Service life of light source *	5000 h	Placement	Desktop
Service life of light source (economic mode)	10000 h	Cable lock slot	✓
Lamp power	300 W	Cable lock slot type	Kensington
Lamps quantity	1 lamp(s)	Power	
Lens system		Power source *	AC
Focus *	Manual	Power consumption (typical) *	420 W
Focal length range	23 - 38.4 mm	Power consumption (standby) *	0.5 W
Aperture range (F-F)	1.5 - 2	Power consumption (economy mode)	350 W
Throw ratio	1.38 - 2.28:1	AC input voltage	220 - 240 V
Video		AC input frequency	50/60 Hz
Full HD *	✓	Operational conditions	
Video colour modes	Blackboard, Cinema, Dynamic, Presentation	Operating temperature (T-T)	5 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-10 - 60 °C
DisplayPorts quantity	1	Operating relative humidity (H-H)	20 - 80%
USB 2.0 ports quantity *	2	Storage relative humidity (H-H)	10 - 90%
Serial interface type *	RS-232	Weight & dimensions	
PC Audio in	✓	Width	377 mm
PC Audio out	✓	Depth	291 mm
VGA (D-Sub) ports quantity *	3	Height	110 mm
HDMI ports quantity *	2	Weight *	4.8 kg
Composite video in *	1	Package width	383 mm
Component video (YPbPr/YCbCr) in * 3	3	Package depth	530 mm
DVI port *	✗	Package height	210 mm

Ports & interfaces		Weight & dimensions	
Mobile High-Definition Link (MHL)	✓	Package weight	6.4 kg
AC (power) in	✓	Packaging content	
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC
		Manual	✓



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.