


Product Specification


Model: ND55PNC

Product Feature



- ✧ Bottom 2 USB 2.0 ports
- ✧ Side physical key
- ✧ Side loudspeaker
- ✧ 4K UI
- ✧ Compatible with installing the NUC module
- ✧ Hidden remote reception
- ✧ Even Bezel
- ✧ Support Landscape&Portrait Mode
- ✧ Anti-Glare Panel

Dimension



Display

Size	55 inch
Panel Type	VA
Response Time	6.5ms
Aspect Ratio	16:9
Display Area	1209.6(H) \times 680.4(V)mm
Pixel Pitch	0.315 \times 0.315mm
Resolution	3840(H) \times 2160(V)
Refreshing Frequency	60Hz
Display Color	1.07B(10bit)
NTSC	72%
Operation Hour	16/7
Contrast Ratio	4000:1
Viewing Angle	178 $^{\circ}$ (H/V)
Back Light Unit	DLED
Brightness with glass(min)	400cd/m 2
Brightness with glass(typ)	450cd/m 2

Life Time	≥30000 Hours
Operating System	
System Version	Android 8.0
RAM	3G
ROM	16G
CPU	A73×2+A53×2
GPU	Mali-G51MP2
Audio	
Sound Channel	2.0
Output Power	2×8W
Power	
Power Requirements	100-240V~50/60Hz 2.0A
Overall Power(Max.)	200W
Standby Power	≤0.5W
I/O Port	
HDMI IN	2
HDMI OUT (optional)	1
USB 2.0	2
VGA IN	1
AUDIO IN	1
AUDIO OUT	1
SPDIF	1
RS232	1
RJ45 IN	1
Physical Specifications	
Dimension L×H×D	1233×704×71mm
Dimension (package) L×W×H	1353×156×821mm
Thickness of machine and wall mount	95.4mm(WIB4722A)
Thickness of bezel	9.9mm

Wall-hanging Screw Spec	M6×12mm
VESA	400×200mm
Net Weight	13.75Kg
Gross Weight	18.00Kg

Accessories

Power Cord	×1
Power Adapter	×1
Remote Control	×1
WiFi Module	×1
Wall Mount	×1

Environmental Conditions

Operation Temperature	0°C ~ 40°C
Operation Humidity	10% ~ 90%RH
Storage Temperature	-20°C ~ 60°C
Storage Humidity	10% ~ 90%RH
Altitude	Below 5000 meters

Optional Module

Wireless Module	USB WIFI Dongle: 8822BU
-----------------	-------------------------

Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product.

The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product.

The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance.

Should the above-mentioned change in the document become necessary, the document may be updated without written notice.