


Product Specification


Model: ND75PNA

Product Feature



1. Revolutionary Performance:
 - ✧ Mainboard HV8386
 - ✧ DDR4 3GB Memory & 16GB Storage
 - ✧ WIFI Module(Optional)
 - ✧ PC Module (OPS,Optional)
2. Visual Revolution:
 - ✧ 4K Resolution
 - ✧ 450cd/m² Brightness
 - ✧ 4K HDMI OUT

Dimension



Display

Size	75 inch
Panel type	ADS
Response Time	8ms
Aspect Ratio	16:9
Display Area	1649.664(H) × 927.936(V)mm
Pixel Pitch	0.4296 × 0.4296mm
Resolution	3840(H)×2160(V)
Refreshing Frequency	60Hz
Display Color	1.07B(10bit)
Operation Hour	16/7
Contrast Ratio	1200:1
Viewing Angle	178°(H/V)
Back Light Unit	DLED
Brightness (min)	400cd/m ²
Brightness (typ)	450cd/m ²
Life Time	≥30000 Hours

Android System

System Version	Android 8.0
----------------	-------------

CPU	ARM 2*A73+2*A53 1.1GHz Quad Core
GPU	G51 Dual Core
RAM	3GB
ROM	16GB

Audio

Sound Channel	2.0
Output Power	2×12W

Power

Power Requirements	100-240V~ 50/60Hz 3A
Overall Power(Max.)	300W
Standby Power	≤0.5W

I/O port

HDMI IN	2
HDMI OUT(optional)	1
USB 2.0	2
USB 3.0	1
DP IN	1
VGA IN	1
AUDIO IN	1
AUDIO OUT	1
SPDIF	1
LAN IN	1
RS232	1
Button Location & quantity	Back physical keys,7

Physical Specification

Dimension L×H×D	1674×957×72mm
Dimension (package) L×W×H	1828×220×1098mm
Thickness of bezel	Bottom 13mm, edge 9mm
Wall-hanging Screw Spec	M8×15mm

VESA	400×200mm
Net Weight	29.30kg
Gross Weight	41.70kg

Accessories

Power Cord	×1
Power Adapter	×1
Remote Control	×1
WiFi Module	×1
Wall Mount	×1

Environmental Conditions

Operation Temperature	0°C - 40°C
Operation Humidity	10%~90%RH
Storage Temperature	-20°C~60°C
Storage Humidity	10%~90%RH
Altitude	Below 5000 meters

Statement

The product pictures of this specification only indicate that there may be slight difference in product effects (included but not limited to appearance, color and size). Please refer to the product.

Due to the influence of product configuration and manufacturing process, the actual size/weight of the fuselage may differ.

In order to provide accurate specification parameters and product characteristics as much as possible, it is possible to adjust and revise the text description and picture effect of this specification in real time, so as to match the actual product performance, specifications and other information.

No special notice will be given if necessary.