/IOC

AOC Q27G4 computer monitor 68,6 cm (27") 2560 x 1440 pixels Quad HD Black, Red

Brand: AOC Product code: Q27G4

Product name: Q27G4

Screen size (inch) 27, Panel resolution 2560x1440, Max Refresh rate 180 Hz, Response time MPRT 0.5 ms, Panel type IPS, HDMI HDMI 2.0×2 , Display Port DisplayPort 1.4×1 , D-SUB (VGA) 0x, DVI 0x, Sync technology (VRR) Adaptive Sync

AOC Q27G4 computer monitor 68,6 cm (27") 2560 x 1440 pixels Quad HD Black, Red:

QHD, Fast IPS, 180Hz, 1ms Response, HDR 400, and Low Input Lag for the ultimate gaming experience ${\bf q}$

Introducing the Q27G4X, a fusion of gaming excellence and cutting-edge technology. Dive into yourself in a visual spectacle with QHD resolution, providing outstanding images that redefine your gaming encounters. Fast IPS technology takes center stage, delivering outstanding performance in color reproduction and contrast ratio that elevates your gaming experience and offers top-tier gaming setup with superior solution for all-round gamers. With a highly responsive 180Hz refresh rate and a rapid 1ms GtG response time, every frame isn't just visible but striking, providing a competitive edge.





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type *	68,6 cm (27") 2560 x 1440 pixels Quad HD	Headphone out * HDCP HDCP version	√ √ 2.2
Panel type *	Fast IPS	Ergonomics	
Touchscreen * Response time * Screen shape * Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal	1 ms Flat 1200:1 80000000:1 180 Hz 178° 178° 1.07 billion colours 0,2331 x 0,2331 mm 59,7 cm	VESA mounting * Panel mounting interface Cable management Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt adjustment Tilt angle range	100 x 100 mm 13 cm -90 - 90° -30 - 30° -5 - 23°
Viewable size, vertical High Dynamic Range (HDR)	33,6 cm	Power	
supported High Dynamic Range (HDR) technology sRGB coverage (typical) NTSC coverage (typical)	DisplayHDR 400 127% 108%	Power consumption (typical) * AC input voltage AC input frequency Input current Power supply type	29 W 100 - 240 V 50/60 Hz 1.5 A Internal
Performance		Weight & dimensions	
VESA Adaptive Sync support Flicker-free technology	4	Width (with stand) Depth (with stand)	613,9 mm 359,7 mm
Multimedia		Height (with stand)	516,6 mm
Built-in speaker(s) * Built-in camera *	×	Weight (with stand) Width (without stand)	4,87 kg 366,3 mm
Design		Depth (without stand)	51,3 mm
Market positioning * Product colour *	Gaming Black, Red	Height (without stand) Weight (without stand)	613,9 mm 3,41 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	×	Package width	481 mm

Ports & interfaces		Packaging data	
HDMI *	✓	Package depth	162 mm
HDMI ports quantity	1	Package height	822 mm
HDMI version DisplayPorts quantity DisplayPort version	2.0 1 1.4	Package weight	7,64 kg
		Other features	
		Low input lag	✓
		Certification	BSMI / KC / KCC / e-Standby / RCM / MEPS / CE / CB / FCC

