Epson EcoTank ET-4850 Inkjet A4 4800 x 1200 DPI Wi-Fi

Brand: Epson Product family: EcoTank Product code: C11CJ60501

Product name: ET-4850

Print, Scan, Copy, Fax, 4800 x 1200 DPI, CIS, LAN, WLAN, USB, 6.8 kg

Epson EcoTank ET-4850 Inkjet A4 4800 x 1200 DPI Wi-Fi:

The Epson EcoTank ET-4850 all-in-one printer, powered by PrecisionCore® Heat-Free Technology, offers cartridge-free printing with easy-to-fill, supersized ink tanks. Each replacement ink bottle set includes enough ink to print up to 6,000 pages1 – equivalent to about 145 individual cartridges2, that means less waste. Exclusive uniquely keyed EcoTank bottles make it easy to fill each colour tank. The Epson EcoTank ET-4850 also offers a high-capacity 250-sheet paper tray, fax, 2.4" colour touchscreen, 30-sheet ADF, fast auto 2-sided printing, and convenient wired and wireless networking.



| Printing | | Paper handling | |
|--|--|--|--|
| Duplex printing mode Print technology * Printing * Duplex printing * | Auto Inkjet Colour printing ✓ | Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Non-ISO print media sizes | Photo paper, Plain paper A4, A5, A6 B5, B6 Legal, Letter |
| Maximum resolution * | 4800 x 1200 DPI | Ports & interfaces | |
| Print speed (ISO/IEC 24734) black Print speed (ISO/IEC 24734) colour Borderless printing | 15,5 ppm 8,5 ppm ✓ | Direct printing * USB port | 1 |
| Copying | | Network | |
| Duplex copying * Copying * Maximum number of copies Copier resize | Colour copying 99 copies 25 - 400% | Wi-Fi * Ethernet LAN * Ethernet LAN data rates Mobile printing technologies | ✓ ✓ 10,100 Mbit/s Apple AirPrint, Mopria Print Service |
| Scanning | | Design | |
| Scanning * Optical scanning resolution * Scanner type * Scan technology Image formats supported Document formats supported | Colour scanning 1200 x 2400 DPI Flatbed & ADF scanner CIS BMP, JPEG, PICT, TIFF PDF | Product colour * Market positioning * Built-in display * Display diagonal Control type Colour display | Black Home & office |
| Input colour depth | 48 bit | Power | |
| Output colour depth | 24 bit | Power consumption (copying) | 12 W |
| Fax | | Power consumption (ready) | 5,4 W |
| Faxing * Fax transmission speed Modem speed Fax memory | Colour faxing 3 sec/page 33,6 Kbit/s 100 pages | Power consumption (sleep) Power consumption (off) AC input voltage AC input frequency | 1 W 0,2 W 100 - 240 V 50 - 60 Hz |
| Features | | System requirements | |
| Duplex functions * Number of print cartridges * | Copy, Print 4 | Windows operating systems supported | Windows 10, Windows 8, Windows 7, Windows Vista, Windows 8.1 Mac OS X 11.0 Big Sur, Mac OS X |
| Printing colours * | Black, Cyan, Magenta, Yellow | Mac operating systems supported | 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks |
| Input & output capacity Total number of input trays * Total input capacity * Total output capacity * | 1 250 sheets 30 sheets | Server operating systems supported | Windows Server 2003 R2, Windows Server 2008, Windows Server 2008 R2, Windows Server 2016, Windows Server 2003 |
| Auto document feeder (ADF) | ✓ Sileets | Weight & dimensions | |
| Auto document feeder (ADF) input capacity | 30 sheets | Width Depth Height | 375 mm 347 mm 231 mm |

| Paper handling | Weight & dimensions | |
|--------------------------------------|-----------------------------|------------|
| Maximum ISO A-series paper size * A4 | Weight | 6,8 kg |
| | Packaging content | |
| | Cartridge(s) included | √ |
| | Cables included | AC |
| | Logistics data | |
| | Harmonized System (HS) code | 8443310000 |

