Lenovo ThinkVision T27i-30 68,6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : Lenovo Product family: ThinkVision Product code: 63A4MAR1AU

Product name : T27i-30

- 68.6cm (27") Full HD 1920 x 1080 W-LED IPS
- 6ms, 16:9, 1000:1
- USB, VGA, HDMI, DisplayPort

68.6 cm (27") Full HD $1920 \times 1080 \text{ W-LED IPS}$, 16:9, 16:9, 16.7 M, 6 ms, $178^\circ / 178^\circ$, 1000:1 Lenovo ThinkVision T27i-30. Display diagonal: 68,6 cm (27"), Display resolution: $1920 \times 1080 \text{ pixels}$, HD type: Full HD, Response time: 6 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Panel type * Backlight type	68,6 cm (27") 1920 x 1080 pixels Full HD 16:9 IPS W-LED	HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Headphone connectivity	1.4 1 1.2 ✓ 3.5 mm
Touchscreen *	×	Network	
Response time Anti-glare screen Screen shape *	6 ms ✓ Flat	Wi-Fi Bluetooth	x x
Contrast ratio (typical) *	1000:1	Ergonomics	
Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density Viewable size, horizontal Viewable size, vertical Colour depth sRGB coverage (typical) Performance	3000000:1 60 Hz 178° 178° 16.7 million colours 4 ms 0,3114 x 0,3114 mm 82 ppi 59,8 cm 33,6 cm 8 bit 99%	VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Pivot Pivot angle Swivelling Swivel angle range Tilt angle range Tilt adjustment Power	100 x 100 mm Kensington 15,5 cm -90 - 90° -45 - 45° -5 - 23,5° 100 x 100 mm 10
Compatible operating systems	Windows 10, Windows 11	Power consumption (typical) *	24 W
Multimedia Built-in speaker(s) * Built-in camera * Built-in microphone	x x x	Power consumption (max) Power consumption (off) AC input voltage AC input frequency	65 W 0,3 W 100 - 240 V 50/60 Hz
Design		Packaging content	
Market positioning * Product colour * Detachable stand	Business Black ✓ Energy Star Certified, TCO 8.0, TCO Edge 2.0 EPEAT Gold RoHS	Stand included Cables included Quick start guide DisplayPort cable length	AC, DisplayPort, USB 1,8 m
Certification	Edge 2.0, EPEAT Gold, ROHS Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Eye Comfort	Weight & dimensions Width (with stand) Depth (with stand)	611,9 mm 204,5 mm
Ports & interfaces		Weight (with stand)	6,9 kg
Built-in USB hub * USB upstream port type	✓ USB Type-B	Width (without stand) Depth (without stand)	61,2 cm 5 cm

Ports & interfaces		Weight & dimensions	
Number of upstream ports	1	Height (without stand)	36,2 cm
Number of USB Type-B upstream ports quantity	1	Weight (without stand)	4,9 kg
		Bezel width (side)	2 mm
USB Type-A downstream ports	4	Bezel width (top)	2 mm
quantity	1	Bezel width (bottom)	1,76 cm
VGA (D-Sub) ports quantity HDMI *	· ✓	Packaging data	
HDMI ports quantity	1	Package width	690 mm
		Package depth	525 mm
		Package height	148 mm
		Package weight	10,1 kg

