

LG 55VM5J-H signage display Digital signage flat panel 139,7 cm (55") 500 cd/m² Full HD Black Web OS 24/7

Brand: LG Product code: 55VM5J-H

Product name: 55VM5J-H Digital signage display 139.7 cm

(55') 500 cd/m² Full HD Black Web OS 24/7

- Brightness(Typ.) : 500 nit

- Bezel: 1.74mm (Panel Bezel to Panel Bezel), 1.3mm (T/L), 0.44mm (B/R)

- Depth: 86.9 mm

- Interface : HDMI/ DP/ DVI-D/ USB/ RS232C/ RJ45/ Audio/ IR

55" IPS FHD 1920x1080 500d/m², HDMI DP DVI-D Audio In RS-232C USB RJ45, Memory 8 GB 24/7,

webOS

LG 55VM5J-H. Product design: Digital signage flat panel. Display diagonal: 139,7 cm (55"), Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m², HD type: Full HD. Operating hours

(hours/days): 24/7. Operating system installed: Web OS. Product colour: Black







Display		Performance	
Panel type Display diagonal * Display resolution * Display brightness * HD type *	lay diagonal * 139,7 cm (55") lay resolution * 1920 x 1080 pixels lay brightness * 500 cd/m² lype * Full HD hscreen *	Operating hours (hours/days) HDCP International Protection (IP) code HDCP version Open Pluggable Specification (OPS)	24/7 ✓ IP5X 1.4/2.2
Touchscreen *		Power	
Native aspect ratio Response time Contrast ratio (typical) Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical		Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Heat dissipation	160 W 105 W 0,5 W 100 - 240 V 50 - 60 Hz 648 BTU/h
Panel life		Computer system	
Native refresh rate Haze rate RGB colour space		Computer system * Built-in processor * Internal memory Operating system installed	X 8 GB Web OS
Ports & interfaces	3	Weight & dimensions	
HDMI ports quantity * 3 HDMI version 2.2 HDMI input ports quantity 2 HDMI output ports quantity 1 DVI port * DVI-D ports quantity 1 DisplayPorts quantity * 1 JSB port * JSB ports quantity 1	Display width Display depth Display height Display weight Width Depth Height Weight	1212,2 mm 86,9 mm 683 mm 18,8 kg 1212,2 mm 86,9 mm 683 mm 18,8 kg	
USB version	2.0	Packaging data	
thernet LAN * thernet LAN (RJ-45) ports 2 udio (L/R) in 1 udio (L/R) out 1	Package width Package depth Package height	1353 mm 263 mm 855 mm	
·	1	Package weight	31 kg
Audio (L/R) out RS-232C Remote (IR) input	√ 1	Packaging content	31 kg

Audio		Packaging content	
Built-in speaker(s) *	X	Batteries included	✓
Design		Cables included	AC, DisplayPort, LAN (RJ-45)
Product design *	Digital signage flat panel	Operational conditions	
Placement supported *	Indoor	Operating temperature (T-T)	0 - 40 °C
Orientation	Horizontal/Vertical	Operating relative humidity (H-H)	10 - 80%
Product colour * Black	Black	Certificates	
VESA mounting * Panel mounting interface	600 x 400 mm	Certification	FCC Class "B" / CE / KC ErP - EU Only
Bezel width (bottom) Bezel width (side)	0,74 mm 1,75 mm	Logistics data	
Bezel width (top)	2,49 mm	Harmonized System (HS) code	85285210
Performance		Features	
Purpose *	Universal	Wall mountable	✓
		Technical details	
		Sustainability certificates	ENERGY STAR





8806091407696

0195174016640



195174016640

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.