

NETGEAR GS108LP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Black, Grey

Brand : NETGEAR

Product code: GS108LP-100AJS

Product name : GS108LP



8x 10/100/1000Mbps Gigabit Ethernet, 8 PoE+ ports, up to 30W per port, 60W Budget, 0.6kg, Fanless NETGEAR GS108LP. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE.... DC input voltage: 54 V. Power connector: AC-in jack. Power over Ethernet (PoE). Wall mountable, Rack mounting, Form factor: 1U

Management features		Performance	
Switch type *	Unmanaged	Mean time between failures (MTBF)	2752476 h
Quality of Service (QoS) support	✓	Power	
Ports & interfaces		DC input voltage	54 V
Basic switching RJ-45 Ethernet ports quantity *	8	Input current	1.25 A
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power consumption (typical)	67,5 W
Power connector	AC-in jack	Power consumption (max)	130 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✓
Flow control support	✓	Power over Ethernet plus (PoE+) ports quantity	8
Data transmission		Total Power over Ethernet (PoE) budget	60 W
Switching capacity *	16 Gbit/s	Operational conditions	
MAC address table *	4000 entries	Operating temperature (T-T)	0 - 40 °C
Store-and-forward	✓	Storage temperature (T-T)	-20 - 70 °C
Jumbo frames support	✓	Operating relative humidity (H-H)	0 - 90%
Packet forwarding	✓	Storage relative humidity (H-H)	0 - 95%
Design		Operating altitude	0 - 1000 m
Rack mounting *	✓	Heat dissipation	230,85 BTU/h
Form factor	1U	Weight & dimensions	
Product colour	Black, Grey	Width	236 mm
LED indicators	✓	Depth	102 mm
Wall mountable	✓	Height	27 mm
Performance		Weight	600 g
Buffer size	192 KB	Logistics data	
Plug and Play	✓	Harmonized System (HS) code	85176990

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-AUG-2023. Prints or copies of Information are only valid on the printed Publication date