

TP-Link VIGI NVR2016H network video recorder Black

Brand: TP-Link Product family: VIGI Product code: VIGI NVR2016H

Product name : VIGI

NVR2016H



TP-Link VIGI NVR2016H. Video input channels: 16 channels, Maximum resolution: 3840 x 2160 pixels, Number of simultaneously playbacked channels: 16 channels. Maximum storage capacity: 10 TB, HDD interface: SATA. Ethernet LAN data rates: 10,100 Mbit/s, Supported network protocols: UPnP (Plug and Play), NTP (Network Timing). Product colour: Black, Certification: CE, EAC, UKCA, RCM, Triman, BSMI, VCCI, FCC, IC, HDMI. Power consumption (max): 24,16 W, Output current: 3,3 A, Output voltage: 12 V





Performance		Ports & interfaces	
Video input channels *	16 channels	USB 2.0 ports quantity	2
Number of simultaneously	16 channels	eSATA ports quantity	1
playbacked channels	720- 1000-	Internal SATA ports quantity	2
Video recording modes Maximum resolution *	720p, 1080p 3840 x 2160 pixels	eSATA	✓
Maximum resolution *	HDMI Output Resolution: 1 Channel,	Line-in	✓
Supported resolutions	Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz, 1920x1080/60Hz, 3840x2160/30Hz VGA Output Resolution: 1 Channel, Resolution: 1280x720/60Hz, 1280x1024/60Hz, 1440x900/60Hz, 1680x1050/60Hz,	Audio output	1
		DC-in jack	√
		Supported network protocols	UPnP (Plug and Play), NTP (Networ Timing)
		Features	
		Reset button	✓
Video motion detection	1920x1080/60Hz ✓	Product colour	Black
Audio formats supported	G.711 A-law, G.711 μ-law, G.726	Certification	CE, EAC, UKCA, RCM, Triman, BSM
Video formats supported	H.264, H.264+, H.265, H.265+		VCCI, FCC, IC, HDMI
	Digital zoom, Fast play, Forward,	Power	
Playback modes	Full screen, Pause, Play, Stop	Power consumption (max)	24,16 W
Playback controls	✓	Output current	3,3 A
Maximum frame rate	30 fps	Output voltage	12 V
Input bandwidth	80 Mbit/s	Operational conditions	
Output bandwidth	60 Mbit/s	Operating temperature (T-T)	-10 - 55 °C
Recording modes	Manual, Schedule	Operating relative humidity (H-H)	10 - 90%
Wireless LAN features		Storage temperature (T-T)	-40 - 70 °C
Wi-Fi *	×	Storage relative humidity (H-H)	10 - 90%
Storage		Weight & dimensions	
Number of HDDs supported	2	Width	330 mm
Maximum storage capacity *	10 TB	Depth	285 mm
HDD interface *	SATA	Height	45 mm
Ports & interfaces		Weight	1,9 kg
Ethernet LAN (RJ-45) ports *	1	Package weight	3,2 kg
Ethernet LAN data rates	10,100 Mbit/s		
HDMI ports quantity	1		

Ports & interfaces

VGA (D-Sub) output ports

1

