Viewsonic VA2432-H-W computer monitor 61 cm (24") 1920 x 1080 pixels Full HD LED White

Brand : Viewsonic Product code: VA2432-H-W

Product name : VA2432-H-W

- SuperClear® IPS panel
- Full HD 1080p resolution
- 100Hz Refresh rate delivers fluid visuals
- 1 ms (MPRT) response time for precision
- Eyecare technology for comfortable viewing

24" 1080p IPS Monitor with Frameless Design

Viewsonic VA2432-H-W. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: White







Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio *	61 cm (24") 1920 x 1080 pixels Full HD 16:9 LED IPS X 250 cd/m² 1 ms Flat 1920 x 1080 (HD 1080) 1080p 1300:1 50000000:1 100 Hz 178° 178° 16.78 million colours 0,275 x 0,275 mm 24 - 86 kHz 48 - 75 Hz 3H 8 bit 99% 75%	HDMI version Headphone out * Headphone connectivity DC-in jack	1.4 ✓ 3.5 mm
Display technology *		Ergonomics	
Panel type * Touchscreen * Display brightness (typical) Response time Anti-glare screen Screen shape * Supported graphics resolutions		VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Tilt angle range Tilt adjustment	✓ 75 x 75 mm ✓ Kensington × -3 - 20° ✓
Supported video modes Contrast ratio (typical) *		Power	
Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Digital horizontal frequency		Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (PowerSave) AC input voltage AC input frequency Power supply type	22 W 0,3 W 24 W 15 W 100 - 240 V 50 - 60 Hz External
Digital vertical frequency		Operational conditions	
Surface hardness Colour depth sRGB coverage (typical)		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 20 - 90%
NTSC coverage (typical)		Packaging content	
Performance		Stand included	✓ AC LIDMI
Flicker-free technology Low Blue Light technology	1	Cables included Weight & dimensions	AC, HDMI
Multimedia		Width (with stand)	540 mm
Built-in speaker(s) *	×	Depth (with stand)	185 mm

Multimedia		Weight & dimensions	
Built-in camera *	×	Height (with stand) Weight (with stand)	406 mm 2,7 kg
Product colour * Frameless design Front bezel colour Feet colour	White ✓ White White	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	540 mm 36 mm 322 mm 2,4 kg
Certification	WEEE, BSMI, BIS	Packaging data	
Ports & interfaces Built-in USB hub * VGA (D-Sub) ports quantity 1 HDMI * HDMI ports quantity 1		Package width 600 mm Package depth 112 mm Package height 395 mm Package weight 3,7 kg Sustainability	
	X 1 ✓ 1		395 mm
		Sustainability certificates	RoHS

