



Viewsonic VP Series VP2786-4K computer monitor 68,6 cm (27") 3840 x 2160 pixels 4K Ultra HD IPS Black

Brand : Viewsonic

Product family: VP Series

Product code: VP2786-4K

Product name : VP2786-4K

- Ultimate Precision
- Perfect From Screen to Print
- Maximum Palette Power
- Instant Color Adjustment
- Portable Darkroom


27", 3840 x 2160, 350 cd/m², 16:9, 60 Hz, 100-240V, 67W, VESA 100 x 100 mm, black

Viewsonic VP Series VP2786-4K. Display diagonal: 68,6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: IPS, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68,6 cm (27")	DisplayPorts quantity	1
Display resolution *	3840 x 2160 pixels	DisplayPort version	1.4
HD type *	4K Ultra HD	Audio output	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	IPS	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	LED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	350 cd/m ²	Height adjustment *	✓
Response time	5 ms	Height adjustment	13 cm
Anti-glare screen	✓	Pivot	✓
Screen shape *	Flat	Pivot angle	90 - 90°
Aspect ratio	16:9	Tilt angle range	3 - 21°
Contrast ratio (typical) *	1300:1	On Screen Display (OSD)	✓
Contrast ratio (dynamic)	20000000:1	Tilt adjustment	✓
Maximum refresh rate *	60 Hz	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	67 W
Viewing angle, vertical	178°	Power consumption (standby) *	0,5 W
Display number of colours *	1.07 billion colours	Power consumption (max)	70 W
Digital horizontal frequency	15 - 204 kHz	AC input voltage	100 - 240 V
Digital vertical frequency	24 - 120 Hz	Power supply type	Internal
sRGB coverage (typical)	100%	Operational conditions	
NTSC coverage (typical)	108%	Operating temperature (T-T)	0 - 40 °C
Adobe RGB coverage	100%	Operating relative humidity (H-H)	20 - 90%
Performance		Packaging content	
Flicker-free technology	✓	Quick start guide	✓
Low Blue Light technology	✓	Weight & dimensions	
Design		Width (with stand)	613 mm
Market positioning *	Graphics design	Depth (with stand)	232 mm
Product colour *	Black	Height (with stand)	569,1 mm
Ports & interfaces		Weight (with stand)	8,3 kg
Number of USB Type-B upstream ports quantity	1	Width (without stand)	613 mm
USB Type-A downstream ports quantity	4	Depth (without stand)	55 mm
		Height (without stand)	358 mm
		Weight (without stand)	4,9 kg

Ports & interfaces		Packaging data	
USB Type-C downstream ports quantity	1	Package width	692 mm
USB Type-C DisplayPort Alternate Mode	✓	Package depth	225 mm
HDMI *	✓	Package height	505 mm
HDMI ports quantity	2	Package weight	13,2 kg
HDMI version	2.0	Sustainability	
		Sustainability certificates	CE, ENERGY STAR, ErP, REACH, RoHS, WEEE



0766907016130



766907016130

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.